



Marble & Granite



beyond nature

Marble & Granite

UAB Trijų artelė
Topolių g. 6 Rumšiškės
LT-56336, Lietuva
+370 699 752 22
info@zidiniai.lt
www.zidiniai.lt

Alabaster



Type: Marble

Color: various

Quarry Location: Egypt

Application: Interior

Code: PM / 1001

Bending Strength: 170 - 180 KG/CM²

Beige Galala



Type: Marble

Color: Beige

Quarry Location: Egypt

Application: Interior - Exterior

Code: PM / 1002

Bending Strength: 145 - 155 KG/CM²

Egption Feltto



Type: Marble

Color: Beige

Quarry Location: Egypt

Application: Interior - Exterior

Code: PM / 1003

Bending Strength: 151 - 155 KG/CM²

Galala Classic



Type: Marble

Color: Beige


Quarry Location: Egypt

Application: Interior - Exterior

Code: PM / 1004

Bending Strength: 68 - 70 KG/CM²

Golden Sinai



Type: Marble

Color: yellow

Quarry Location: Egypt

Application: Interior - Exterior

Code: PM / 1009

Bending Strength: 105 - 110 KG/CM²

Goldi



Type: Marble

Color: various

Quarry Location: Egypt

Application: Interior - Exterior

Code: PM / 10010

Bending Strength: 170 - 175 KG/CM²

Imperial-Grey



Type: Marble

Color: Grey

Quarry Location: Egypt

Application: Interior - Exterior

Code: PM / 10011

Bending Strength: 180 - 185 KG/CM²

Imperial-Grey-Dark



Type: Marble

Color: Grey

Quarry Location: Egypt

Application: Interior - Exterior

Code: PM / 10012

Bending Strength: 180 -185 KG/CM²

Galala-Extra



Type: Marble

Color: White Beige

Quarry Location: Egypt

Application: Interior - Exterior

Code: PM / 1005

Bending Strength: 170 - 175 KG/CM²

Galala-White



Type: Marble

Color: White

Quarry Location: Egypt

Application: Interior - Exterior

Code: PM / 1006

Bending Strength: 155 - 170 KG/CM²

Golden - Cream



Type: Marble

Color: yellow

Quarry Location: Egypt

Application: Interior - Exterior

Code: PM / 1007

Bending Strength: 170 - 175 KG/CM²

Golden-Cream-Vein



Type: Marble

Color: yellow

Quarry Location: Egypt

Application: Interior - Exterior

Code: PM / 1008

Bending Strength: 155 - 170 KG/CM²

Silvia



Type: Marble

Color: various

Quarry Location: Egypt

Application: Interior - Exterior

Code: PM / 10017

Bending Strength: 180 -185 KG/CM²

Sunny-Light



Type: Marble

Color: various

Quarry Location: Egypt

Application: Interior - Exterior

Code: PM / 10018

Bending Strength: 145 - 155 KG/CM²

Sunny Menia - Yellow



Type: Marble

Color: various

Quarry Location: Egypt

Application: Interior - Exterior

Code: PM / 10019

Bending Strength: 196 -198 KG/CM²

Sunny-Medium



Type: Marble

Color: various

Quarry Location: Egypt

Application: Interior - Exterior

Code: PM / 10020

Bending Strength: 170 - 175 KG/CM²

Khatmeya



Type: Marble

Color: Yellow

Quarry Location: Egypt

Application: Interior - Exterior

Code: PM / 10013

Bending Strength: 145 - 155 KG/CM²

Melli Brown



Type: Marble

Color: Brown

Quarry Location: Egypt

Application: Interior - Exterior

Code: PM / 10014

Bending Strength: 115 - 120 KG/CM²

Nile-Dream



Type: Marble

Color: various

Quarry Location: Egypt

Application: Interior - Exterior

Code: PM / 10015

Bending Strength: 170 - 175 KG/CM²

Samaha



Type: Marble

Color: various

Quarry Location: Egypt

Application: Interior - Exterior

Code: PM / 10016

Bending Strength: 170 - 175 KG/CM²

Sunny White



Type: Marble

Color: White

Quarry Location: Egypt

Application: Interior - Exterior

Code: PM / 10021

Bending Strength: 145 - 155 KG/CM²

Tropical-Rose



Type: Marble

Color: Rose

Quarry Location: Egypt

Application: Interior - Exterior

Code: PM / 10022

Bending Strength: 180 -185 KG/CM²

Terista



Type: Marble

Color: various


Quarry Location: Egypt

Application: Interior - Exterior

Code: PM / 10023

Bending Strength: 180 -185 KG/CM²

Afyon White



Type: Marble

Color: White

Quarry Location: Turkey

Application: Interior - Exterior

Code: PM / 10024

Bending Strength: 151 - 155 KG/CM²

Amazon Brown



Type: Marble

Color: various

Quarry Location: Brazil

Application: Interior - Exterior

Code: PM / 10025

Bending Strength: 105 - 110 KG/CM²

American Calactta



Type: Marble

Color: White

Quarry Location: U.S.A

Application: Interior - Exterior

Code: PM / 10026

Bending Strength: 155 - 170 KG/CM²

Arabescato Altissimo



Type: Marble

Color: Gray

Quarry Location: Italy

Application: Interior - Exterior

Code: PM / 10027

Bending Strength: 160 - 180 KG/CM²

Arabescato Cervairole



Type: Marble

Color: Gray

Quarry Location: Italy

Application: Interior - Exterior

Code: PM / 10028

Bending Strength: 160 - 180 KG/CM²

Arabescato Orobico – Rosso Orobico



Type: Marble

Color: various

Quarry Location: Italy

Application: Interior

Code: PM / 10029

Bending Strength: 132 - 140 KG/CM²

Arabescato Vagli



Type: Marble

Color: Grey

Quarry Location: Italy

Application: Interior - Exterior

Code: PM / 10030

Bending Strength: 120 - 130 KG/CM²

Aurisina Fiorita Lumachella



Type: Marble

Color: Beige

Quarry Location: Brazil

Application: Interior - Exterior

Code: PM / 10031

Bending Strength: 137 - 140 KG/CM²

Azul Cascais



Type: Marble

Color: Green / Blue

Quarry Location: Portugal

Application: Interior - Exterior

Code: PM / 10032

Bending Strength: 286 KG/CM²

Azul Celeste - Blue Sky



Type: Marble

Color: Blue

Quarry Location: Brazil

Application: Interior - Exterior

Code: PM / 10033

Bending Strength: -----

Azul Cielo



Type: Marble

Color: Blue

Quarry Location: Argentina

Application: Interior - Exterior

Code: PM / 10034

Bending Strength :-----

Bardiglio Imperiale



Type: Marble

Color: Dark Gray

Quarry Location: Italy

Application: Interior - Exterior

Code: PM / 10035

Bending Strength: 220 - 233 KG/CM²

Bardiglio Nuvolato



Type: Marble

Color: Gray

Quarry Location: Italy

Application: Interior - Exterior

Code: PM / 10036

Bending Strength: 225 - 227 KG/CM²

Bardiglio Nuvolato



Type: Marble

Color: Gray

Quarry Location: Italy

Application: Interior - Exterior

Code: PM / 10037

Bending Strength: 225 - 227 KG/CM²

Bianco Brasile



Type: Marble

Color: White

Quarry Location: Brazil

Application: Interior - Exterior

Code: PM / 10038

Bending Strength: -----

Bianco Carrara



Type: Marble

Color: White


Quarry Location: Italy

Application: Interior - Exterior

Code: PM / 10039

Bending Strength: 210 - 222 KG/CM²

Bianco Carrara «B»



Type: Marble

Color: White

Quarry Location: Italy

Application: Interior - Exterior

Code: PM / 10040

Bending Strength: 210 - 222 KG/CM²

Bianco Carrara «CD»



Type: Marble

Color: White

Quarry Location: Italy

Application: Interior - Exterior

Code: PM / 10041

Bending Strength: 210 - 222 KG/CM²

Bianco Europa



Type: Marble

Color: White


Quarry Location: Turkey

Application: Interior - Exterior

Code: PM / 10042

Bending Strength: 115 - 120 KG/CM²

Bianco Extra



Type: Marble

Color: White

Quarry Location: Asia

Application: Interior - Exterior

Code: PM / 10043

Bending Strength: 68 - 70 KG/CM²

Bianco Gioia Venato



Type: Marble

Color: White


Quarry Location: Italy

Application: Interior - Exterior

Code: PM / 10044

Bending Strength: 205 - 220 KG/CM²

Bianco Lasa Classico



Type: Marble

Color: White

Quarry Location: Greece

Application: Interior - Exterior

Code: PM / 10045

Bending Strength: 180 -185 KG/CM²

Bianco Perlino



Type: Marble

Color: various


Quarry Location: Italy

Application: Interior - Exterior

Code: PM / 10046

Bending Strength: 124 - 128 KG/CM²

Bianco Thassos



Type: Marble

Color: White


Quarry Location: Greece

Application: Interior

Code: PM / 10047

Bending Strength: 270 -280 KG/CM²

Bianco Turco



Type: Marble

Color: White

Quarry Location: Turkey

Application: Interior - Exterior

Code: PM / 10048

Bending Strength: 250 -280 KG/CM²

Black Fossil



Type: Marble

Color: Black

Quarry Location: Morocco

Application: Interior - Exterior

Code: PM / 10049

Bending Strength:

Botticino Classico



Type: Marble

Color: Beige

Quarry Location: Italy

Application: Interior - Exterior

Code: PM / 10050

Bending Strength: 170 - 175 KG/CM²

Botticino Fiorito



Type: Marble

Color: Beige

Quarry Location: Italy

Application: Interior - Exterior

Code: PM / 10051

Bending Strength: 205 - 210 KG/CM²

Botticino Semi Classico



Type: Marble

Color: Beige

Quarry Location: Italy

Application: Interior - Exterior

Code: PM / 10052

Bending Strength: 170 - 175 KG/CM²

Breccia Aurora



Type: Marble

Color: various

Quarry Location: Italy

Application: Interior

Code: PM / 10053

Bending Strength: 125 - 130 KG/CM²

Breccia Dayno



Type: Marble

Color: various


Quarry Location: Italy

Application: Interior

Code: PM / 10054

Bending Strength: 152 - 158 KG/CM²

Breccia Novelle



Type: Marble

Color: Brown - Beige

Quarry Location: France

Application: Interior - Exterior

Code: PM / 10055

Bending Strength: 66 - 67 KG/CM²

Breccia Oniciata 1



Type: Marble

Color: various

Quarry Location: Italy

Application: Interior - Exterior

Code: PM / 10056

Bending Strength: 125 - 130 KG/CM²

Breccia Oniciata 2



Type: Marble

Color: various

Quarry Location: Italy

Application: Interior

Code: PM / 10057

Bending Strength: 125 - 130 KG/CM²

Breccia Oniciata Rosata



Type: Marble

Color: various

Quarry Location: Italy

Application: Interior

Code: PM / 10058

Bending Strength: 125 - 130 KG/CM²

Breccia Pernice Chiara



Type: Marble

Color: various

Quarry Location: Italy

Application: Interior

Code: PM / 10059

Bending Strength: 110 - 112 KG/CM²

Breccia Pernice Media Chiara



Type: Marble

Color: various

Quarry Location: Italy

Application: Interior

Code: PM / 10060

Bending Strength: 110 - 115 KG/CM²

Breccia Pernice Scura



Type: Marble

Color: various

Quarry Location: Italy

Application: Interior

Code: PM / 10061

Bending Strength: 110 - 113 KG/CM²

Breccia Pontificia



Type: Marble

Color: Red

Quarry Location: Italy

Application: Interior

Code: PM / 10062

Bending Strength: 140 - 145 KG/CM²

Breccia Rosata



Type: Marble

Color: various


Quarry Location: Turkey

Application: Interior - Exterior

Code: PM / 10063

Bending Strength: 101 - 105 KG/CM²

Breccia Sarda Chiara



Type: Marble

Color: Beige

Quarry Location: Italy

Application: Interior - Exterior

Code: PM / 10064

Bending Strength: 152 - 158 KG/CM²

Bursa Beige



Type: Marble

Color: Beige

Quarry Location: Turkey

Application: Interior - Exterior

Code: PM / 10065

Bending Strength: -----

Calacatta



Type: Marble

Color: White

Quarry Location: Italy

Application: Interior - Exterior

Code: PM / 10066

Bending Strength: 130 - 180 KG/CM²

Calacatta A



Type: Marble

Color: White

Quarry Location: Italy

Application: Interior - Exterior

Code: PM / 10067

Bending Strength: 130 - 180 KG/CM²

Calacatta Altissimo



Type: Marble
Color: White
Quarry Location: Italy
Application: Interior - Exterior
Code: PM / 10068
Bending Strength: 160 - 180 KG/CM²

Calacatta B



Type: Marble
Color: White
Quarry Location: Italy
Application: Interior - Exterior
Code: PM / 10069
Bending Strength: 130 - 180 KG/CM²

Calacatta Crema



Type: Marble
Color: White
Quarry Location: Italy
Application: Interior - Exterior
Code: PM / 10070
Bending Strength: 115 - 155 KG/CM²

Calacatta Gold 1



Type: Marble
Color: White
Quarry Location: Italy
Application: Interior - Exterior
Code: PM / 10071
Bending Strength: 130 - 180 KG/CM²

Calacatta Gold 2



Type: Marble

Color: White

Quarry Location: Italy

Application: Interior - Exterior

Code: PM / 10072

Bending Strength: 130 - 180 KG/CM²

Calacatta Turkish



Type: Marble

Color: White

Quarry Location: Turkish

Application: Interior - Exterior

Code: PM / 10073

Bending Strength: 130 - 180 KG/CM²

Chiampo Rosato



Type: Marble

Color: Red

Quarry Location: Italy

Application: Interior - Exterior

Code: PM / 10074

Bending Strength : 170 - 180 KG/CM²

Chiampo Rosato Scuro



Type: Marble

Color: Red

Quarry Location: Italy

Application: Interior - Exterior

Code: PM / 10075

Bending Strength: 170 - 180 KG/CM²

Ciocolato Brazil



Type: Marble
Color: various
Quarry Location: Brazil
Application: Interior
Code: PM / 10076
Bending Strength: 132 - 135 KG/CM²

Crema Luna



Type: Marble
Color: Beige
Quarry Location: Spain
Application: Interior - Exterior
Code: PM / 10077
Bending Strength : -----

Crema Marfil Dark



Type: Marble
Color: Beige
Quarry Location: Spain
Application: Interior - Exterior
Code: PM / 10078
Bending Strength: 139KG/CM²

Crema Marfil Light



Type: Marble
Color: Beige
Quarry Location: Spain
Application: Interior - Exterior
Code: PM / 10079
Bending Strength: 139 KG/CM²

Crema Valencia



Type: Marble

Color: Beige

Quarry Location: Spain

Application: Interior - Exterior

Code: PM / 10080

Bending Strength: -----

Crema Delicato



Type: Marble

Color: Beige

Quarry Location: Italy

Application: Interior - Exterior

Code: PM / 10081

Bending Strength: 110 - 160 KG/CM²

Delos Marble



Type: Marble

Color: Beige

Quarry Location: Greece

Application: Interior - Exterior

Code: PM / 10082

Bending Strength: 100 - 105 KG/CM²

Desert Creme



Type: Marble

Color: Beige

Quarry Location: Turkey

Application: Interior - Exterior

Code: PM / 10083

Bending Strength: 20 - 25 KG/CM²

Diaspro



Type: Marble

Color: Red

Quarry Location: Italy

Application: Interior

Code: MP / 10084

Bending Strength: 140 - 145 KG/CM²

Dionyssos Pentelicon White



Type: Marble

Color: White


Quarry Location: Greece

Application: Interior - Exterior

Code: PM / 10085

Bending Strength: 196 KG/CM²

Emil Rose – Travertino Rose



Type: Marble

Color: Red

Quarry Location: Iran

Application: Interior - Exterior

Code: 10086

Bending Strength: 118 - 122 KG/CM²

Emperador Dark – Spanish



Type: Marble

Color: Brown

Quarry Location: Spain

Application: Interior

Code: PM / 10087

Bending Strength: 122 - 126 KG/CM²

Emperador Dark – Spanish 2



Type: Marble

Color: Brown

Quarry Location: Spain

Application: Interior

Code: PM / 10088

Bending Strength: 122 - 126KG/CM²

Emperador Lebanon



Type: Marble

Color: Beige

Quarry Location: Lebanon

Application: Interior - Exterior

Code: PM / 10089

Bending Strength: 151 - 155 KG/CM²

Emperador Turkish 1



Type: Marble

Color: Beige

Quarry Location: Turkish

Application: Interior - Exterior

Code: 10090

Bending Strength: 134 - 138 KG/CM²

Emperador Turkish 2



Type: Marble

Color: Beige

Quarry Location: Turkish

Application: Interior - Exterior

Code: 10091

Bending Strength: 134 - 138 KG/CM²

Ethrusco Chiaro



Type: Marble

Color: various

Quarry Location: Italy

Application: Interior - Exterior

Code: PM / 10092

Bending Strength: 165 - 170 KG/CM²

Ethrusco Scuro



Type: Marble

Color: various

Quarry Location: Italy

Application: Interior - Exterior

Code: PM / 10093

Bending Strength: 165 - 170 KG/CM²

Fantasia Brown



Type: Marble

Color: Brown

Quarry Location: Spain

Application: Interior - Exterior

Code: PM / 10094

Bending Strength: 165 - 180 KG/CM²

Fior Di Mare



Type: Marble

Color: various

Quarry Location: Italy

Application: Interior - Exterior

Code: PM / 10095

Bending Strength: 140 - 150 KG/CM²

Fior Di Pesco Carnico



Type: Marble

Color: various

Quarry Location: Italy

Application: Interior

Code: PM / 10096

Bending Strength: 17.6 KG/CM²

Giallo Coral



Type: Marble

Color: Yellow

Quarry Location: Spain

Application: Interior - Exterior

Code: PM / 10097

Bending Strength: 16.5 KG/CM²

Giallo Gaya



Type: Marble

Color: Yellow

Quarry Location: India

Application: ---

Code: PM / 10098

Bending Strength: -----

Giallo Reale



Type: Marble

Color: Yellow

Quarry Location: Italy

Application: Interior - Exterior

Code: PM / 10099

Bending Strength: 122 - 128 KG/CM²

Giallo Siena



Type: Marble

Color: Yellow

Quarry Location: Italy

Application: Interior - Exterior

Code: PM / 100100

Bending Strength :

Giallo Siena Chiaro



Type: Marble

Color: Yellow

Quarry Location: Italy

Application: Interior - Exterior

Code: PM / 100101

Bending Strength: 256 - 159 KG/CM²

Giallo Triana



Type: Marble

Color: Yellow

Quarry Location: Spain

Application: Interior - Exterior

Code: PM / 100102

Bending Strength: 105 - 110 KG/CM²

Grigio Carnico



Type: Marble

Color: Black

Quarry Location: Italy

Application: Interior

Code: PM / 100103

Bending Strength: 150 - 155 KG/CM²

Imperial Beige



Type: Marble

Color: Beige

Quarry Location: Italy

Application: Interior

Code: PM / 100104

Bending Strength: 180 - 185 KG/CM²

Imperial Danby



Type: Marble

Color: White


Quarry Location: U.S.A

Application: Interior

Code: PM / 100105

Bending Strength: 190 - 195 KG/CM²

Indian Green 1



Type: Marble

Color: Green

Quarry Location: India

Application: Interior

Code: PM / 100106

Bending Strength: 151 - 155 KG/CM²

Irish Marble Green



Type: Marble

Color: Green

Quarry Location: Ireland

Application: Interior - Exterior

Code: PM / 100107

Bending Strength: 79 - 83 KG/CM²

Jakarta Pink



Type: Marble

Color: White / Green

Quarry Location: India

Application: Interior - Exterior

Code: PM / 100108

Bending Strength: 200 - 210 KG/CM²

Jakarta White



Type: Marble

Color: White / Green

Quarry Location: Brazil

Application: Interior

Code: PM / 100109

Bending Strength: 105 - 110 KG/CM²

Konros Extra White



Type: Marble

Color: White

Quarry Location: Greece

Application: Interior - Exterior

Code: PM / 100110

Bending Strength: 100 - 110 KG/CM²

Lessinia Rosa Gloss



Type: Marble

Color: Rose

Quarry Location: Italy

Application: Interior - Exterior

Code: PM / 100111

Bending Strength: 148 - 154 KG/CM²

Lessinia Rosa Rustica



Type: Marble

Color: Red

Quarry Location: Italy

Application: Interior - Exterior

Code: PM / 100112

Bending Strength: 148 - 154 KG/CM²

Lessinia Rosa Scratched



Type: Marble

Color: Red

Quarry Location: Italy

Application: Interior - Exterior

Code: PM / 100113

Bending Strength: 148 - 154 KG/CM²

Lessinia White Gloss



Type: Marble

Color: Beige

Quarry Location: Italy

Application: Interior - Exterior

Code: PM / 100114

Bending Strength: 148 - 154 KG/CM²

Lessinia White Rustica



Type: Marble

Color: Beige

Quarry Location: Italy

Application: Interior - Exterior

Code: PM / 100115

Bending Strength: 148 - 154 KG/CM²

Lessinia White Scratched



Type: Marble

Color: Beige

Quarry Location: Italy

Application: Interior - Exterior

Code: PM / 100116

Bending Strength: 148 - 154 KG/CM²

Limeston Dore



Type: Marble

Color: Beige

Quarry Location: Italy

Application: Interior - Exterior

Code: PM / 100117

Bending Strength: -----

Moca Creme



Type: Marble

Color: Beige

Quarry Location: Portugal

Application: Interior

Code: PM / 100118

Bending Strength: 170 - 175 KG/CM²

Nembro Rosato



Type: Marble

Color: Red

Quarry Location: Italy

Application: Interior - Exterior

Code: PM / 100119

Bending Strength: 148 - 152 KG/CM²

Nero Marquina



Type: Marble

Color: Black

Quarry Location: Spain

Application: Interior - Exterior

Code: PM / 100120

Bending Strength: 140 - 142 KG/CM²

Noisette Fleury



Type: Marble

Color: various

Quarry Location: Italy

Application: Interior - Exterior

Code: PM / 100121

Bending Strength: 166 - 170 KG/CM²

Ocean Fantasia



Type: Marble

Color: various

Quarry Location: Italy

Application: Interior - Exterior

Code: PM / 100122

Bending Strength: 90 - 100 KG/CM²

Onice Aragonite



Type: Marble

Color: Red

Quarry Location: Iran

Application: Interior

Code: PM / 100123

Bending Strength: 158 - 160 KG/CM²

Onice Arco Iris



Type: Marble
Color: various
Quarry Location: Iran
Application: Interior
Code: PM / 100124
Bending Strength: 158 - 160 KG/CM²

Onice Bianco



Type: Marble
Color: White
Quarry Location: Iran
Application: Interior - Exterior
Code: PM / 100125
Bending Strength: -----

Onice Cappuccino



Type: Marble
Color: Brown
Quarry Location: Iran
Application: Interior
Code: PM / 100126
Bending Strength: 165 - 168 KG/CM²

Onice Carribean



Type: Marble
Color: Brown / Blue
Quarry Location: Iran
Application: Interior
Code: PM / 100127
Bending Strength: 165 - 168 KG/CM²

Onice Honey



Type: Marble

Color: Yellow

Quarry Location: Pakistan

Application: Interior

Code: PM / 100128

Bending Strength: 165 - 168 KG/CM²

Onice Lemon



Type: Marble

Color: Light Green

Quarry Location: Pakistan

Application: Interior

Code: PM / 100129

Bending Strength: 165 - 168 KG/CM²

Onice Miele



Type: Marble

Color: Brown

Quarry Location: Iran

Application: Interior

Code: PM / 100130

Bending Strength: 162 - 164 KG/CM²

Onice Monogreen



Type: Marble

Color: Green

Quarry Location: Iran

Application: Interior

Code: PM / 100131

Bending Strength: 162 - 164 KG/CM²

Onice Multicolor Green



Type: Marble
Color: Green
Quarry Location: Iran
Application: Interior
Code: PM / 100132
Bending Strength: 162 - 164 KG/CM²

Onice Nuvolato



Type: Marble
Color: Yellow
Quarry Location: Iran
Application: Interior
Code: PM / 100133
Bending Strength: -----

Onice Rosso



Type: Marble
Color: Red
Quarry Location: Iran
Application: Interior
Code: PM / 100134
Bending Strength: 157- 159 KG/CM²

Onice Smeraldo (al Contro)



Type: Marble
Color: Green / Blue
Quarry Location: Iran
Application: Interior
Code: PM / 100135
Bending strength :-----

Onice Smeraldo (al verso)



Type: Marble

Color: Green / Blue

Quarry Location: Iran

Application: Interior

Code: PM / 100136

Bending strength :-----

Onice Verde Dark



Type: Marble

Color: Green / Blue

Quarry Location: Iran

Application: Interior

Code: PM / 100137

Bending strength :163- 165 KG/CM²

Onice Verde Light



Type: Marble

Color: Green / Blue

Quarry Location: Iran

Application: Interior

Code: PM / 100138

Bending strength :163- 165 KG/CM²

Onice Yellow



Type: Marble

Color: Yellow

Quarry Location: Iran

Application: Interior

Code: PM / 100139

Bending strength :163- 165 KG/CM²

Oniciato Tirreno – Paradiso Brown




Type: Marble
Color: Brown
Quarry Location: Italy
Application: Interior
Code: PM / 100140
Bending strength :-----

Opera Fantastico



Type: Marble
Color: various
Quarry Location: France
Application: Interior - Exterior
Code: PM / 100141
Bending Strength: 114 - 120 KG/CM²

Orion Extra White



Type: Marble
Color: White
Quarry Location: Greece
Application: Interior - Exterior
Code: PM / 100142
Bending Strength: 100 - 110 KG/CM²

Palissandro



Type: Marble
Color: Beige
Quarry Location: Italy
Application: Interior - Exterior
Code: PM / 100143
Bending Strength: 280 - 290 KG/CM²

Palissandro Bluette



Type: Marble

Color: Gray

Quarry Location: Italy

Application: Interior - Exterior

Code: PM / 100144

Bending Strength: 280- 290 KG/CM²

Palissandro Bluette Nuvolato Chiaro



Type: Marble

Color: White

Quarry Location: Italy

Application: Interior - Exterior

Code: PM / 100145

Bending Strength: 280- 290 KG/CM²

Palissandro Bluette Nuvolato Scuro



Type: Marble

Color: Gray

Quarry Location: Italy

Application: Interior - Exterior

Code: PM / 100146

Bending Strength: 280- 290KG/CM²

Palissandro Onciato



Palissandro Onciato

Type: Marble

Color: Various

Quarry Location: Italy

Application: Interior - Exterior

Code: PM / 100147

Bending Strength: 280- 290KG/CM²

Perlato Royal



Type: Marble

Color: Beige

Quarry Location: Italy

Application: Interior - Exterior

Code: PM / 100148

Bending Strength: 128- 132 KG/CM²

Perlato Sicilia



Type: Marble

Color: Beige

Quarry Location: Italy

Application: Interior - Exterior

Code: PM / 100149

Bending Strength: -----

Perlato Svevo



Type: Marble

Color: Beige

Quarry Location: Italy

Application: Interior - Exterior

Code: PM / 100150

Bending Strength: 142- 146 KG/CM²

Perlino Bianco (Al Contro)



Type: Marble

Color: Beige

Quarry Location: Italy

Application: Interior - Exterior

Code: PM / 100151

Bending Strength: 115 - 120 KG/CM²

Picture Stone



Type: Marble

Color: various

Quarry Location: South Africa

Application: Interior - Exterior

Code: PM / 100152

Bending Strength: 190 - 197 KG/CM²

Pierre de Sainte – Croix de Mareuil



Type: Marble

Color: various

Quarry Location: France

Application: Interior - Exterior

Code: PM / 100153

Bending Strength :-----

Pietra del Cardoso



Type: Marble

Color: Gray / Blue

Quarry Location: Italy

Application: Interior - Exterior

Code: PM / 100154

Bending Strength: 220 - 225 KG/CM²

Pietra Dorata



Type: Marble

Color: Beige

Quarry Location: Italy

Application: Interior - Exterior

Code: PM / 100155

Bending Strength: 69 - 72 KG/CM²

Pietra Serena



Type: Marble

Color: various

Quarry Location: Italy

Application: Interior - Exterior

Code: PM / 100156

Bending Strength: 56 - 58 KG/CM²

Porttoro



Type: Marble

Color: Black

Quarry Location: Italy

Application: Interior

Code: PM / 100157

Bending Strength: 102 - 106 KG/CM²

Porto Rose



Type: Marble

Color: Black

Quarry Location: Brazil

Application: Interior - Exterior

Code: PM / 100158

Bending Strength: 255 - 270 KG/CM²

Rain Forest Brown



Type: Marble

Color: Brown

Quarry Location: India

Application: Interior - Exterior

Code: PM / 100159

Bending Strength: 205 - 220 KG/CM²

Rain Forest Green



Type: Marble

Color: Green

Quarry Location: India

Application: Interior - Exterior

Code: PM / 100160

Bending Strength: 125 - 130 KG/CM²

Rainbow Sand stone



Type: Marble

Color: various

Quarry Location: India

Application: Interior - Exterior

Code: PM / 100161

Bending Strength:-----

Repen Classico



Type: Marble

Color: Beige

Quarry Location: Italy

Application: Interior - Exterior

Code: PM / 100162

Bending Strength :195 - 205KG/CM²

Rosa del Garda



Type: Marble

Color: Red

Quarry Location: Italy

Application: Interior

Code: PM / 100163

Bending Strength :-----

Rosa Egeo



Type: Marble

Color: White

Quarry Location: Greece

Application: Interior - Exterior

Code: PM / 100164

Bending Strength: -----

Rosa Norvegia



Type: Marble

Color: Various

Quarry Location: Norway

Application: Interior - Exterior

Code: PM / 100165

Bending Strength: 110 - 120 KG/CM²

Rosa Portogallo Creme



Type: Marble

Color: White

Quarry Location: Portugal

Application: Interior - Exterior

Code: PM / 100166

Bending Strength: 154 - 156 KG/CM²

Rosa Portogallo Salmonato



Type: Marble

Color: White / Rose

Quarry Location: Portugal

Application: Interior - Exterior

Code: PM / 100167

Bending Strength: 154 - 156 KG/CM²

Rosa Portogallo Venato



Type: Marble

Color: Rose

Quarry Location: Portugal

Application: Interior - Exterior

Code: PM / 100168

Bending Strength: 154 - 156 KG/CM²

Rosa Tea



Type: Marble

Color: Red

Quarry Location: Turkey

Application: Interior

Code: PM / 100169

Bending Strength: -----

Rosa ValToce



Type: Marble

Color: Various

Quarry Location: Italy

Application: Interior - Exterior

Code: PM / 100170

Bending Strength: -----

Rosa Zarci



Type: Marble

Color: Red

Quarry Location: Spain

Application: Interior - Exterior

Code: PM / 100171

Bending Strength: -----

Rosso Alicante



Type: Marble

Color: Red

Quarry Location: Spain

Application: Interior - Exterior

Code: PM / 100172

Bending Strength: 85 - 93 KG/CM²

Rosso Assiago - verona



Type: Marble

Color: Red

Quarry Location: Italy

Application: Interior - Exterior

Code: PM / 100173

Bending Strength: 95 - 105 KG/CM²

Rosso Damasco



Type: Marble

Color: Red

Quarry Location: Algeria

Application: Interior - Exterior

Code: PM / 100174

Bending Strength: -----

Rosso Francia



Type: Marble

Color: Red


Quarry Location: France

Application: Interior - Exterior

Code: PM / 100175

Bending Strength: -----

Rosso French 1



Type: Marble

Color: Red


Quarry Location: France

Application: Interior - Exterior

Code: PM / 100176

Bending Strength: -----

Rosso French 2



Type: Marble

Color: Red

Quarry Location: France

Application: Interior - Exterior

Code: PM / 100177

Bending Strength: -----

Rosso Laguna



Type: Marble

Color: Red

Quarry Location: Turkey

Application: Interior - Exterior

Code: PM / 100178

Bending Strength: -----

Rosso Lepanto - Levanto



Type: Marble

Color: Red

Quarry Location: Turkey

Application: Interior - Exterior

Code: PM / 100179

Bending Strength: 130 - 137 KG/CM²

Rosso levanto Classico



Type: Marble

Color: Red

Quarry Location: Italy

Application: Interior

Code: PM / 100180

Bending Strength: 106 - 108 KG/CM²

Rosso Manategna



Type: Marble

Color: Red


Quarry Location: Italy

Application: Interior

Code: PM / 100181

Bending Strength: 125- 135 KG/CM²

Rosso Trento



Type: Marble

Color: Red

Quarry Location: Italy

Application: Interior - Exterior

Code: PM / 100182

Bending Strength: 155 - 160 KG/CM²

Rosso Verona (Al Contro)



Type: Marble

Color: Red

Quarry Location: Italy

Application: Interior - Exterior

Code: PM / 100183

Bending Strength: 95- 105KG/CM²

Rosso Verona (Al Verso)



Type: Marble

Color: Red

Quarry Location: Italy

Application: Interior - Exterior

Code: PM / 100184

Bending Strength: 95- 105 KG/CM²

Salome



Type: Marble

Color: Various

Quarry Location: Turkey

Application: Interior - Exterior

Code: PM / 100185

Bending Strength: 18 - 18.5 KG/CM²

Serpeggiante



Type: Marble

Color: Beige


Quarry Location: Italy

Application: Interior - Exterior

Code: PM / 100186

Bending Strength: 140 - 150 KG/CM²

Sodalite Blue



Type: Marble

Color: Blue

Quarry Location: Italy

Application: Interior - Exterior

Code: PM / 100187

Bending Strength: -----

Spanish Black



Type: Marble

Color: Black

Quarry Location: Spain

Application: Interior - Exterior

Code: PM / 100188

Bending Strength: -----

Statuarietto



Type: Marble

Color: White

Quarry Location: Italy

Application: Interior - Exterior

Code: PM / 100189

Bending Strength: 165 - 175 KG/CM²

Statuario



Type: Marble

Color: White

Quarry Location: Italy

Application: Interior - Exterior

Code: PM / 100190

Bending Strength: 165 - 175 KG/CM²

Statuario Altissimo



Type: Marble

Color: White

Quarry Location: Italy

Application: Interior - Exterior

Code: PM / 100191

Bending Strength: 160 - 180 KG/CM²

Statuario Cervaliolo



Type: Marble

Color: White

Quarry Location: Italy

Application: Interior - Exterior

Code: PM / 100192

Bending Strength: 160 - 180 KG/CM²

Statuario Venato



Type: Marble

Color: White

Quarry Location: Italy

Application: Interior - Exterior

Code: PM / 100193

Bending Strength: 165 - 175 KG/CM²

Statuario Venato



Type: Marble

Color: White

Quarry Location: Italy

Application: Interior - Exterior

Code: PM / 100194

Bending Strength: 165 - 175 KG/CM²

Striato Sabri



Type: Marble

Color: White

Quarry Location: Turkey

Application: Interior - Exterior

Code: PM / 100195

Bending Strength: -----

Tinos Green



Type: Marble

Color: Green

Quarry Location: Italy

Application: Interior - Exterior

Code: PM / 100196

Bending Strength: 165 - 175 KG/CM²

Trani America



Type: Marble

Color: Beige

Quarry Location: Italy

Application: Interior

Code: PM / 100197

Bending Strength: 180- 186 KG/CM²

Trani Bronzetto



Type: Marble

Color: Beige

Quarry Location: Italy

Application: Interior - Exterior

Code: PM / 100198

Bending Strength: 195 - 205 KG/CM²

Trani Fiorito Adriatico



Type: Marble

Color: Beige

Quarry Location: Italy

Application: Interior - Exterior

Code: PM / 100199

Bending Strength: 190 - 200 KG/CM²

Travertino Classico



Type: Marble

Color: Beige

Quarry Location: Italy

Application: Interior - Exterior

Code: PM / 100200

Bending Strength: 145 - 155 KG/CM²

Travertino Luisa



Type: Marble

Color: Beige

Quarry Location: Italy

Application: Interior - Exterior

Code: PM / 100201

Bending Strength: 145 - 155 KG/CM²

Travertino Navona



Type: Marble

Color: Beige

Quarry Location: Italy

Application: Interior - Exterior

Code: PM / 100202

Bending Strength: 135 - 145 KG/CM²

Travertino Noce



Type: Marble

Color: Beige

Quarry Location: Italy

Application: Interior - Exterior

Code: PM / 100203

Bending Strength: 140 - 150 KG/CM²

Travertino Persiano Giallo



Type: Marble

Color: Yellow

Quarry Location: Iran

Application: Interior - Exterior

Code: PM / 100204

Bending Strength: 180 - 190 KG/CM²

Travertino Rania



Type: Marble

Color: Beige

Quarry Location: Iran

Application: Interior - Exterior

Code: PM / 100205

Bending Strength: 195 - 110 KG/CM²

Travertino Romano Striato



Type: Marble

Color: Beige

Quarry Location: Italy

Application: Interior - Exterior

Code: PM / 100206

Bending Strength: 135 - 145 KG/CM²

Travertino Rosso



Type: Marble

Color: Red

Quarry Location: Spain

Application: Interior - Exterior

Code: PM / 100207

Bending Strength: 145 - 150 KG/CM²

Travertino Rosso Persiano



Type: Marble

Color: Red


Quarry Location: Iran

Application: Interior - Exterior

Code: PM / 100208

Bending Strength: 110 - 120 KG/CM²

Travertino Samantha



Type: Marble

Color: Yellow

Quarry Location: Iran

Application: Interior - Exterior

Code: PM / 100209

Bending Strength: 120 - 130 KG/CM²

Travertino Scabas (Al Contro)



Type: Marble

Color: Yellow

Quarry Location: Italy

Application: Interior - Exterior

Code: PM / 100210

Bending Strength: -----

Travertino Silver K



Type: Marble

Color: Silver

Quarry Location: Turkey

Application: Interior

Code: PM / 100211


Bending Strength: 855 - 855 KG/CM²

Travertino Sunflower



Type: Marble
Color: Yellow
Quarry Location: Iran
Application: Interior - Exterior
Code: PM / 100212
Bending Strength: -----

Ttavantino Red



Type: Marble
Color: Red
Quarry Location: Turkey
Application: Interior - Exterior
Code: PM / 100213
Bending Strength: 145 - 150 KG/CM²

Vanilla




Type: Marble
Color: White
Quarry Location: Greece
Application: Interior - Exterior
Code: PM / 100214
Bending Strength: 136 - 165 KG/CM²

Verde Alpi



Type: Marble
Color: Green
Quarry Location: Italy
Application: Interior - Exterior
Code: PM / 100215
Bending Strength: 220 - 230 KG/CM²

Verde Assoluto



Type: Marble

Color: Green

Quarry Location: Italy

Application: Interior - Exterior

Code: PM / 100216

Bending Strength: -----

Verde Guatemala - Verde Imper



Type: Marble

Color: Green

Quarry Location: India

Application: Interior - Exterior

Code: PM / 100217

Bending Strength: 205 - 220 KG/CM²

Verde Guatemala - Original



Type: Marble

Color: Green


Quarry Location: Guatemala

Application: Interior

Code: PM / 100218

Bending Strength: 228 - 232 KG/CM²

Verde Guatemala Scuro – verde Foresta



Type: Marble

Color: Green

Quarry Location: India

Application Interior - Exterior

Code: PM / 100219


Bending Strength: 205 - 220 KG/CM²

Verde Malakite



Type: Marble
Color: Green / Blue
Quarry Location: Finland
Application Interior - Exterior
Code: PM / 100220
Bending Strength: -----

Verde Mare – Mare Green



Type: Marble
Color: Green / Blue
Quarry Location: Guatemala
Application Interior - Exterior
Code: PM / 100221
Bending Strength: 205 - 210 KG/CM²

Verde Ming



Type: Marble
Color: Green
Quarry Location: Mongolia
Application Interior - Exterior
Code: PM / 100222
Bending Strength: -----

Verde Rameggiato



Type: Marble
Color: Green
Quarry Location: Italy
Application Interior - Exterior
Code: PM / 100223
Bending Strength: -----

Verde S . Nicola



Type: Marble

Color: Green

Quarry Location: Italy

Application: Interior - Exterior

Code: PM / 100224

Bending Strength: 220 - 230 KG/CM²

Verde Serpentino



Type: Marble

Color: Green / Blue

Quarry Location: Italy

Application: Interior - Exterior

Code: PM / 100225

Bending Strength: 390 - 420 KG/CM²

Verdello Di Trento



Type: Marble

Color: Various

Quarry Location: Brazil

Application: Interior - Exterior

Code: PM / 100226

Bending Strength: 130 - 135 KG/CM²

Verzino Frabosa



Type: Marble

Color: Green / Blue

Quarry Location: Italy

Application: Interior - Exterior


Code: PM / 100227

Bending Strength: -----

Granite



Fersan 3



Type: Granite

Color: Red

Quarry Location: Egypt

Application: Interior - Exterior

Code: PG / 2001

Bending Strength: 2200 - 262 KG/CM³

Fersan 2



Type: Granite

Color: Red

Quarry Location: Egypt

Application: Interior - Exterior

Code: PG / 2002

Bending Strength: 2200 - 262 KG/CM³

Fersan



Type: Granite

Color: Red

Quarry Location: Egypt

Application: Interior - Exterior

Code: PG / 2003

Bending Strength: 2200 - 262 KG/CM³

Gandola



Type: Granite

Color: Red

Quarry Location: Egypt

Application: Interior - Exterior

Code: PG / 2004

Bending Strength: 2400 - 264 KG/CM³

Halayeb



Type: Granite
Color: White / Grey
Quarry Location: Egypt
Application: Interior - Exterior
Code: PG / 2005
Bending Strength:2300 - 263 KG/CM³

Kemet Brown



Type: Granite
Color: Brown
Quarry Location: Egypt
Application: Interior - Exterior
Code: PG/ 2006
Bending Strength:2300 - 263 KG/CM³

Nero Aswan



Type: Granite
Color: Black
Quarry Location: Egypt
Application: Interior - Exterior
Code: PG / 2007
Bending Strength:4700 - 285 KG/CM³

Nevertity



Type: Granite
Color: Red
Quarry Location: Egypt
Application: Interior - Exterior
Code: PG / 2008
Bending Strength:2200 - 262 KG/CM³

New Halayeb



Type: Granite

Color: Black / white

Quarry Location: Egypt

Application: Interior - Exterior

Code: PG/ 2009

Bending Strength:2300 - 265 KG/CM³

New Nevertity



Type: Granite

Color: Red

Quarry Location: Egypt

Application: Interior - Exterior

Code: PG/ 20010

Bending Strength:1900 - 263 KG/CM³

Red Aswan 2



Type: Granite

Color: Red

Quarry Location: Egypt

Application: Interior - Exterior

Code: PG/ 20011

Bending Strength:2200 - 267 KG/CM³

Red Aswan 3



Type: Granite

Color: Red

Quarry Location: Egypt

Application: Interior - Exterior

Code: PG / 20012

Bending Strength:2200 - 267 KG/CM³

Red Aswan 4



Type: Granite

Color: Red

Quarry Location: Egypt

Application: Interior - Exterior

Code: PG / 20013

Bending Strength:2200 - 267 KG/CM³

Red Aswan



Type: Granite

Color: Red

Quarry Location: Egypt

Application: Interior - Exterior

Code: PG / 20014

Bending Strength:2200 - 263 KG/CM³

Red Safaga Dark



Type: Granite

Color: Red

Quarry Location: Egypt

Application: Interior - Exterior

Code: PG / 20015

Bending Strength:2200 - 267 KG/CM³

Red Safaga Light



Type: Granite

Color: Red

Quarry Location: Egypt

Application: Interior - Exterior

Code: PG/ 20016

Bending Strength:2200 - 263 KG/CM³

Romady El Sherka



Type: Granite

Color: Grey / White

Quarry Location: Egypt

Application: Interior - Exterior

Code: PG/ 20017

Bending Strength:2000 - 262 KG/CM³

Royal 2



Type: Granite

Color: Red

Quarry Location: Egypt

Application: Interior - Exterior

Code: PG / 20018

Bending Strength:1900 - 262 KG/CM³

Royal



Type: Granite

Color: Red

Quarry Location: Egypt

Application: Interior - Exterior

Code: PG / 20019

Bending Strength:1900 - 262 KG/CM³

Roza El Nasr



Type: Granite

Color: various

Quarry Location: Egypt

Application: Interior - Exterior

Code: PG/ 20020

Bending Strength:2200 - 261 KG/CM³

Roza Hody 2



Type: Granite

Color: various

Quarry Location: Egypt

Application: Interior - Exterior

Code: PG/ 20021

Bending Strength:1900 - 263 KG/CM³

Roza Hody Dark



Type: Granite

Color: Various

Quarry Location: Egypt

Application: Interior - Exterior

Code: PG / 20022

Bending Strength:2200 - 263 KG/CM³

Rozita



Type: Granite

Color: Red

Quarry Location: Egypt

Application: Interior - Exterior

Code: PG/ 20023

Bending Strength:2200 - 263 KG/CM³

Shabah Green



Type: Granite

Color: Green

Quarry Location: Egypt

Application: Interior - Exterior

Code: PG / 20024

Bending Strength:2000 - 263 KG/CM³

Shabah Yellow



Type: Granite

Color: Yellow / Brown

Quarry Location: Egypt

Application: Interior - Exterior

Code: PG / 20025

Bending Strength: 2200 - 267 KG/CM³

Verdi Ghazal Dark



Type: Granite

Color: Green

Quarry Location: Egypt

Application: Interior - Exterior

Code: PG / 20026

Bending Strength: 2200 - 264 KG/CM³

Verdi Ghazal Light



Type: Granite

Color: Green

Quarry Location: Egypt

Application: Interior - Exterior

Code: PG / 20027

Bending Strength: 2200 - 264 KG/CM³

Angola Black



Type: Granite

Color: Black

Quarry Location: South Africa

Application: Interior - Exterior

Code: PG / 20032

Bending Strength: -----

Angola Blue



Type: Granite

Color: Blue

Quarry Location: South Africa

Application: Interior - Exterior

Code: PG / 20032

Bending Strength: -----

Antic Blue



Type: Granite

Color: Blue


Quarry Location: Finland

Application: Interior - Exterior

Code: PG / 20033

Bending Strength: 210- 230 KG/CM²

Azul Bahia



Type: Granite

Color: Blue

Quarry Location: Brazil

Application: Interior - Exterior

Code: PG/ 20036

Bending Strength: 165- 175 KG/CM²

Candeias



Type: Granite

Color: Green


Quarry Location: Brazil

Application: Interior - Exterior

Code: PM / 20041

Bending Strength: 89- 106 KG/CM²

Carmen Red



Type: Granite

Color: Red

Quarry Location: Finland

Application: Interior - Exterior

Code: PM / 20042

Bending Strength: 127- 132 KG/CM²

Cashmir White



Type: Granite

Color: White / Grey

Quarry Location: India

Application: Interior - Exterior

Code: PM / 20043

Bending Strength: 131- 137 KG/CM²

Crema Bordeax



Type: Granite

Color: Red


Quarry Location: Brazil

Application: Interior - Exterior

Code: PM / 20047

Bending Strength: 100- 110 KG/CM²

Blue King – King Blue



Type: Granite

Color: Blue

Quarry Location: Zambia

Application: Interior - Exterior

Code: PM / 20034

Bending Strength: 135- 137 KG/CM²

Blue Valley



Type: Granite

Color: Blue

Quarry Location: Zambia

Application: Interior - Exterior

Code: PM / 20034

Bending Strength: 135- 137 KG/CM²

Brown Antique



Type: Granite

Color: Brown / Red

Quarry Location: Angola

Application: Interior - Exterior

Code: PM / 20037

Bending Strength: 200- 210 KG/CM²

Cafe Bahia



Type: Granite

Color: various

Quarry Location: Brazil

Application: Interior - Exterior

Code: PM / 20039

Bending Strength: 180- 185 KG/CM²

Iron Red



Type: Granite

Color: Red

Quarry Location: Brazil

Application: Interior - Exterior

Code: PM / 20081

Bending Strength: -----

Ita Green



Type: Granite

Color: various

Quarry Location: Brazil

Application: Interior - Exterior

Code: PM / 20081

Bending Strength: -----

Juparana Dorato



Type: Granite

Color: Yellow

Quarry Location: Brazil

Application: Interior - Exterior

Code: PM / 20092

Bending Strength: 65- 75 KG/CM²

Juparana Tropical Bahia



Type: Granite

Color: Red

Quarry Location: Brazil

Application: Interior - Exterior

Code: PG/ 20095

Bending Strength: 173- 178 KG/CM²

Desert Storm



Type: Granite

Color: Various

Quarry Location: Brazil

Application: Interior - Exterior

Code: PM / 20051

Bending Strength: 168 KG/CM²

Giallo Antico



Type: Granite

Color: Yellow

Quarry Location: Brazil

Application: Interior - Exterior

Code: PM / 20059

Bending Strength: 175- 180 KG/CM²

Giallo Dantas – Giallo Ecoparanga



Type: Granite

Color: Yellow

Quarry Location: Brazil

Application: Interior - Exterior

Code: PM / 20060

Bending Strength: 143 - 152 KG/CM²

Indian Juparana



Type: Granite

Color: Various

Quarry Location: India

Application: Interior - Exterior

Code: PM / 20079

Bending Strength: 94- 98 KG/CM²

Labrador Blue Pearl



Type: Granite

Color: Blue

Quarry Location: Norway

Application: Interior - Exterior

Code: PG / 200100

Bending Strength: 130- 135 KG/CM²

Labrador Blue Pearl Chiaro



Type: Granite

Color: Blue

Quarry Location: Norway

Application: Interior - Exterior

Code: PG / 200101

Bending Strength: 130- 135 KG/CM²

Louise Blue – Royal Green



Type: Granite

Color: Blue

Quarry Location: Brazil

Application: Interior - Exterior

Code: PG / 200111

Bending Strength: 180 - 190 KG/CM²

Madura Gold



Type: Granite

Color: Yellow

Quarry Location: India

Application: Interior - Exterior

Code: PG / 200112

Bending Strength: 117 -124 KG/CM²

Kashmir Gold



Type: Granite

Color: Yellow

Quarry Location: Brazil

Application: Interior - Exterior

Code: PG/ 20095

Bending Strength: 173- 178 KG/CM²

Kinawa Classico



Type: Granite

Color: Red

Quarry Location: Brazil

Application: Interior - Exterior

Code: PG / 20099

Bending Strength: 125- 130 KG/CM²

Kinawa Indiano



Type: Granite

Color:

Quarry Location: Brazil

Application: Interior - Exterior

Code: PG / 20099

Bending Strength: 125- 130 KG/CM²

Labrador Antique – Prince Antique



Type: Granite

Color: Blue / Black

Quarry Location: Norway

Application: Interior - Exterior

Code: PG / 200100

Bending Strength: 170- 173 KG/CM²

Quarzite Grise



Type: Granite

Color: White / Grey

Quarry Location: Brazil

Application: Interior - Exterior

Code: PG / 200144

Bending Strength: 350- 360 KG/CM²

Rosa Beta



Type: Granite

Color: Red


Quarry Location: Italy

Application: Interior - Exterior

Code: PG / 200152

Bending Strength: 200- 205 KG/CM²

Star Galaxy



Type: Granite

Color: Black

Quarry Location: Brazil

Application: Interior - Exterior

Code: PG / 200141

Bending Strength: 682- 275 KG/CM²

Summer Light



Type: Granite

Color:

Quarry Location: Brazil

Application: Interior - Exterior

Code: PG / 200144

Bending Strength: 350- 360 KG/CM²

Marlyn Blue



Type: Granite

Color:

Quarry Location: Brazil

Application: Interior - Exterior

Code: PG / 200113

Bending Strength: 117 - 124 KG/CM²

Ocean Fantasy



Type: Granite

Color:

Quarry Location: Brazil

Application: Interior - Exterior

Code: PG / 200114

Bending Strength: 80 - 93 KG/CM²

Paradiso



Type: Granite

Color: Black

Quarry Location: India

Application: Interior - Exterior

Code: PG / 200115

Bending Strength: 210 - 220 KG/CM²

Quarzite Caffè



Type: Granite

Color: White / Grey

Quarry Location: Brazil

Application: Interior - Exterior

Code: PG / 200141

Bending Strength: 268- 275 KG/CM²

Verde Cascada



Type: Granite

Color:

Quarry Location: Brazil

Application: Interior - Exterior

Code: PG / 200152

Bending Strength: 200- 205 KG/CM²

Verde Coto



Type: Granite

Color:

Quarry Location: Brazil

Application: Interior - Exterior

Code: PG / 200152

Bending Strength: 200- 205 KG/CM²

Verde Blue



Type: Granite

Color:

Quarry Location: Brazil

Application: Interior - Exterior

Code: PG / 200152

Bending Strength: 200- 205 KG/CM²

Tan Brown



Type: Granite

Color: Red

Quarry Location: Italy

Application: Interior - Exterior

Code: PG / 200150

Bending Strength: 115- 118 KG/CM²

Tiffany



Type: Granite

Color: Red

Quarry Location: Brazil

Application: Interior - Exterior

Code: PG / 200152

Bending Strength: 200- 205 KG/CM²

Tiger Red



Type: Granite

Color:

Quarry Location: Brazil

Application: Interior - Exterior

Code: PG / 200144

Bending Strength: 350- 360 KG/CM²

Tiger Skin



Type: Granite

Color:

Quarry Location: Italy

Application: Interior - Exterior

Code: PG / 200150

Bending Strength: 115- 118 KG/CM²



UAB Trijų artelė
Topolių g. 6 Rumšiškės
LT-56336, Lietuva
+370 699 752 22
info@zidiniai.lt
www.zidiniai.lt